

REFERENCES

- Aiken, L. S., & West, S. G. (1991). Multiple Regression: Testing and interpreting interactions. Newbury Park, CA: Sage.
- Aiken, L. S., West, S. G., Sechrest, L., & Reno, R. P. (1990). Graduate training in statistics, methodology, and measurement in psychology: A survey of Ph.D. programs in North America. American Psychologist, 45, 721-734.
- Alexander, J., & Winarsky, N. (1989, April). Interactive data visualization. Information Display, 14-22.
- Anderson, E. (1960). A semigraphical method for the analysis of complex problems. Technometrics, 2, 387-391.
- Andrew, D. F. (1972). Plots of high-dimensional data. Biometrics, 28, 125-136.
- Atkinson, A. C. (1985). Plots, transformations and regression. Oxford: Clarendon Press.
- Barfield, W., & Robless, R. (1989). The effects of two- or three-dimensional graphics on problem-solving performance of experienced and novice decision makers. Behavior and information Technology, 8, 369-385.
- Barnett, B., & Wickens, C. (1988). Display proximity in multicue information integration: The benefits of boxes. Human Factors, 30, 15-24.
- Beckman, R. J. & Cook, R. D. (1983). Outlier.....s. Technometrics, 25, 119-149.
- Behrens, J. T. (1995). Principles and procedures of exploratory data analysis. Manuscript submitted for publication.
- Behrens, J. T., & Smith, M. L. (in press). Data and data analysis. In D. Berliner & B. Calfee (Eds.) The handbook of educational psychology. New York: Macmillan.

- Behrens, J. T., & Yu, C. H. (1994, June). The visualization of multi-way interactions and high-order terms in multiple regression. Paper presented at the Annual Meeting of the Psychometric Society, Urbana-Champaign, Illinois.
- Bertin, J. (1983). Semiology of graphics. Madison, Wisconsin: University of Wisconsin Press.
- Boardman, T. J. (1994). The statistician who changed the world: W. Edwards Deming, 1900-1993. The American Statistician, 48, 179-187.
- Bowman, A. W., & Foster, P. J. (1993). Adaptive smoothing and density-based tests of multivariate normality. Journal of American Statistical Association, 88, 529-537.
- Brown, R. L. (1983). The influence of the mouth on clustering of facial plots. Paper presented at the 91st Annual Convention of the American Psychological Association, Anaheim, CA.
- Brown, R. L. (1985). Methods for the graphic representation of systems simulated data. Ergonomics, 10, 1439-1454.
- Butler, D. L. (1993). Graphics in psychology: Pictures, data, and especially concepts. Behavior Research Methods, Instruments, and Computers, 25, 81-92.
- Buttigieg, M. A., & Sanderson, P. M. (1991). Emergent features in visual display design for two types of failure detection tasks. Human Factors, 33, 631-651.
- Carr, D. B., & Nicholson, W. L. (1988). Explor4: A program for exploring four-dimensional data using Stereo-Ray Glyphs, dimensional constraints, rotation, and masking. In W. S. Cleveland & M. E. McGill (Eds.), Dynamic graphics for statistics (pp.309-329). Belmont, CA: Wadsworth.

- Carr, D. B. (1991). Looking at large data sets using binned data plots. In A. Buja & P. A. Tukey (Eds.), Computing and graphics in statistics (pp.5-39). New York: Springer-Verlag.
- Carswell, M., & Wickens, C. D. (1987). Information integration and the object display: An interaction of task demands and display superiority. Ergonomics, 30, 511-527.
- Carswell, M., & Wickens, C. D. (1990). The perceptual interaction of graphical attributes: Configurality, stimulus homogeneity, and object integration. Perception and Psychophysics, 47, 157-168.
- Casey, E. J., & Wickens, C. D. (1986). Visual display rep[resentation of multidimensional systems (Tech. Report ARL-90-5/AHEL-90-1). Savoy, IL: University of Illinois Willard Airport, Aviation Research Laboratory, Institute of Aviation.
- Chatterjee, S., & Hadi, A. S. (1988). Sensitivity analysis in linear regression. New York: John Wiley & Sons.
- Chernoff, H. (1973). Using faces to represent points in k-dimensional space graphically. Journal of American Statistical Association, 68, 361-368.
- Chernoff, H. (1978). Graphical representation as a discipline. In P. Wang (Ed.), Graphical representation of multivariate data (pp.1-11). New York: Academic Press.
- Chernoff, H., & Rizvi, M. H. (1975). Effect on classification error or random permutations of features in representing multivariate data by faces. Journal of American Statistical Association, 70, 548-554.
- Cherland, R. M. (1992, May). Total quality management: Statistics and graphics II-Control charts. AIR 1992 Annual Forum Paper. Paper presented at the Annual Forum of the Association for Institutional

- Research, Atlanta, GA. (ERIC Document Reproduction Service No. ED 349 858)
- Cleveland, W. S. (1985). The elements of graphing data. Monterey, CA: Wadsworth Publishing.
- Cleveland, W. S. (1993). Visualizing data. Murray Hill, NJ: AT&T Bell Lab.
- Cleveland, W. S. & McGill, R. (1983). A color-caused optical illusion on a statistical graph. The American Statistician, 37, 101-105.
- Cleveland, W. S. & McGill, R. (1984). The many faces of a scatterplot. Journal of the American Statistical Association, 79, 807-822.
- Cohen, J. (1994). The earth is round ($p < .05$). American Psychologist, 49, 997-1003.
- Cook, R. D., & Weisberg, S. (1994). An introduction to regression graphics. New York, NY: John Wiley & Sons, Inc.
- Cook, T. D., & Campbell, D. T. (1979). Quasi-experimentation: Design & analysis issues for field settings. Boston: Houghton Mifflin Company.
- Davies, L., & Gather, U. (1993). The identification of multiple outliers, Journal of American Statistical Association, 88, 782-792.
- Dawkins, D. P. (1995). Coneplot. Statlib. [On-line]. Available World Wide Web: Hostname and path: <http://lib.statlib.cmu.edu/S/coneplot>.
- Deming, W. E. (1993). The new economics: For industry, government, education. Cambridge, MA: MIT Center for Advanced Engineering Study.
- D'esposito, A. R. (1992). Location of outliers in multiple regression using resample values. Computer Science in Economics and Management, 5, 171-182.

- du Toit, S. H. C., Steyn, A. G. W., & Stumpf, R. H. (1986) Graphical exploratory data analysis. New York: Springer-Verlag.
- Encarnacao, J., Foley, J., Bryson, S., Feiner, & S., Gershon. (1994). Research issues in perception and user interface. IEEE Computer Graphics and Applications, 14, 67-69.
- Everitt, B. S. (1993). Cluster analysis (3rd ed.) New York: Edward Arnold.
- Feingold, A. (1995). The additive effects of differences in central tendency and variability are important in comparisons between groups. American Psychologist, 50, 5-13.
- Fienberg, S. E. (1979). Graphical methods in statistics. The American Statisticians, 33, 165-178.
- Fisher, R. A. (1932). Statistical methods for research workers. Edinburgh: Oliver and Boyd.
- Flury, B., & Riedwyl. H. (1981). Graphical representation of multivariate data by means of asymmetrical faces, Journal of American Statistical Association, 76, 757-765.
- Fortner, B. (1992). The data handbook: A guide to understanding the organization and visualization of technical data. Champaign, IL: SpyGlass, Inc.
- Freni-Titulaer, L. W. J., & Louv, W. C. (1984). Comparisons of some graphical methods for exploratory multivariate data analysis. The American Statistician, 38, 184-188.
- Fung, W. K. (1993). Unmasking outliers and leverage points: A confirmation. Journal of American Statistical Association, 88, 515-519.
- Gaito, J. (1980). Measurement scales and statistics: Resurgence of an old misconception. Psychological Bulletin, 87, 564-567.

- Goettl, B. P., Wickens, C. D., & Kramer, A. F. (1991). Integrated displays and the perception of graphical data. Ergonomics, 34, 1047-1063.
- Grotch, S. L. (1983, November). Three-dimensional and stereoscopic graphs for scientific data display and analysis. IEEE Computer Graphics & Applications, 3(11), 31-43.
- Gabriel, K. R. (1981). Biplot display of multivariate matrices for inspection of data and diagnosis. In V. Barnett (Ed.) Intrepreting multivariate data (pp. 147-173). London: John Wiley & Sons.
- Grubbs, F. E. (1969). Procedures for detecting outlying observations in sample. Technometrics, 11, 1-21.
- Guttman, I. (1973). Care and handling of univariate or multivariate outliers in detecting spuosity-A Bayesian approach. Technometrics, 15, 723-738.
- Hadi, A. S., & Simonoff, J. S. (1993). Procedures for the identification of multiple outliers in linear models, Journal of American Statistical Association, 88, 1264-1272.
- Hair, J. F., Anderson, R. E., Tatham, R. L. & Black, W. C. (1991). Multivariate data analysis with readings. New York: Macmillan Publishing Company.
- Hardle, W. (1991). Smoothing techniques: With implementation in S. New York: Springer-Verlag.
- Hawkins, D. M. (1980). Identifications of outliers. New York: Chapman and Hall.
- Hecht, J. B. (1992, April). Continuing perspectives on the analysis of regression residuals: Advocacy for the use of a "Totter Index". Paper presented at the Annual Meeting of the American Educational Research Association, San Francisco, CA. (ERIC Document Reproduction Service No. ED 347 194)

- Hesselink, L., Post, F. H., & Wijk, J. J. (1994). Research issues in vector and tensor field visualization. IEEE Computer Graphics and Applications, 14, 76-79.
- Holmes, S. (1994, August). Multivariate data analysis: Notes for ASA workshop. Workshop presented at the Annual Meeting of American Statistical Association, Toronto, Ontario, Canada.
- Horswell, R. L., & Looney, S. W. (1992). A comparison of tests for multivariate normality that are based on measures of multivariate skewness and kurtosis. Journal of statistical computation and simulation, 42, 21-30.
- Hubbold, R. (1992). Human-computer interface. In Brodlie et al. (Eds.) Scientific visualization: Techniques and applications (pp.113-131). London: Springer-Verlag.
- Inselberg, A. (1985). The plane with parallel coordinates. The Visual Computer, 1, 69-91.
- Jacobs, D. C. (1990). Watch out for nonnormal distributions. Chemical Engineering Progress, 86(11), 19-25.
- Jain, A. K., & Dubes, R. C. (1988). Algorithms for clustering data. Englewood Cliff, NJ: Prentice Hall.
- Jarrell, M. G. (1991, November). Multivariate outliers: Review of the literature. Paper presented at the Annual Meeting of Mid-South Educational Research Association, Lexington, KY. (ERIC Document Reproduction Service No. ED 339 754)
- Jarrell, M. G. (1992, November). A comparison of two procedures, the Mahalanobis Distance and the Angrews-Pregibon Statistic, for identifying multivariate outliers. Paper presented at the Annual Meeting of Mid-South Educational Research Association, Knoxville, TN. (ERIC Document Reproduction Service No. ED 353 340)

- Johnson , P. O., & Neyman, J. (1936). Tests of certain linear hypotheses and their application to some educational problems. Statistical Research Memories, 1, 57-93.
- Johnson, R. A., & Wichern, D. W. (1992). Applied multivariate statistical analysis. Englewood, NJ: Prentice Hall.
- Kaufman, A., Hohne, K. H., Kruger, W., Rosenblum, L. & Schroder, P. (1994). Research issues in volume visualization. IEEE Computer Graphics and Applications, 14, 63-66.
- Keller, P. R., & Keller, M. M. (1933). Visual cues: Practical data visualization. New Jersey: IEEE Press.
- Kleiner, B., & Hartigan, J. A. (1981). Representing points in many dimensions by trees and castles. Journal of American Statistical Association, 76, 260-269.
- Kosslyn, S. M. (1989). Understanding charts and graphs. Applied Cognitive Psychology, 3, 185-226.
- Kosslyn, S. M. (1994). Elements of graph design. New York: W. H. Freeman Company.
- Lathrop, R. G., & Williams, J. E. (1989). The shape of the inverse scree test for cluster analysis. Educational and Psychological Measurement, 49, 827-834.
- Lee, J. M., & MacLachlan, J. (1986). The effects of 3D imagery on managerial data interpretation. Management Information Systems Quarterly, 10, 257-269.
- Lewandowsky, S., Herrmann, D. J., Behrens, J. T., Li, S. C., Pickle, L, & Jobe, J. B. (1993). Perceptions of clusters in statistical maps. Applied Cognitive Psychology, 7, 533-551.
- Loftus, G. R. (1993). A picture is worth a thousand p values: On the irrelevance of hypothesis testing in the microcomputer age. Behavior Research Methods, Instruments and Computers, 25, 250-256.

- Lohse, G. L. (1991). Cognitive model for understanding graphical perception (Tech. Rep. No. 39). Ann Arbor, MI: University of Michigan, Cognitive Science and machine Intelligence Laboratory.
- Lord, F. M. (1953). On the statistical treatment of football numbers. American Psychologist, 8, 750-751.
- Macchia, P. (1993). Assessing educational processes using Total Quality Management measurement tools, Educational Technology, 33(5), 48-54.
- Mackinlay, J. D. (1986). Automatic design of graphical presentations. Unpublished doctoral dissertation, Stanford University, Stanford, CA.
- Marchak, F. M., & Marchak, L. C. (1990). Dynamic graphics in the exploratory analysis of multivariate data. Behavior Research Methods, Instruments, & Computers, 22, 176-178.
- Marchak, F. M., & Marchak, L. C. (1991). Interactive versus passive dynamics and the exploratory analysis of multivariate data. Behavior Research Methods, Instruments, & Computers, 23, 296-360.
- Maxwell, S. E., & Delaney, H. D. (1990). Design experiments and analyzing data: A model comparison perspective. Belmont, CA: Wadsworth Publishing Company.
- McCormick, B. H., DeFanti, T. A., & Brown, M. D. (Eds.). (1987). Visualization in scientific computing [Special issue]. Computer Graphics, 21(6).
- McGinnis, J. R. (1991 April). A comparison of six different diagnostic procedures used to check raw quantitative data for outliers in a generic science education study. Paper presented at the Annual meeting of the national Association for Research in Science teaching, Lake Geneva, WI. (ERIC Document Reproduction Service No. ED 340 608)

- Microsoft Corporation. (1994). Microsoft Excel. Seattle, WA: Author.
- Mihalisin, T., Timlim, J., & Schwegler, J. (1991). Visualization and analysis of multi-variate data: A technique for all fields. In G. M. Nielsen & L. Rosenblum (Eds.) Proceedings of 1991 IEEE Visualization Conference (p.171-178). Los Alamitos, CA: IEEE.
- Miller, G. A. (1956/1994) Reprint of the Magical Number Seven, Plus or Minus two: Some limits on our capacity for processing information. Psychological Review, 101, 343-349.
- Milligan, G. W. (1980). An examination of the effect of six types of error perturbation on fifteen clustering algorithms. Psychometrika, 45, 325-342.
- Moriarity, S. (1979). Communicating financial information through multidimensional graphs. Journal of Accounting Research, 17, 205-224.
- Mosteller, F., & Tukey, J. W. (1977). Data analysis and regression: A second course in statistics. Reading, MA: Addison-Wesley Publishing Company.
- Motulsky, H. J. (1993, Fall). Using nonlinear regression to analyze experimental data. Software for Science, p.14-16.
- Nadaraya, E. A. (1965). On nonparametric estimation of density functions and regressions curves. Theory of Probability and its Application, 10, 186-190.
- Nielsen, G., Brunet, P., Gross, M., Hagen, H., & Klimenko, S. V. (1994). Research issues in data modeling for scientific visualization. IEEE Computer Graphics and Applications, 14, 70-76.
- Ozturk, A., & Romeu, J. L. (1992). A new method for assessing multivariate normality with graphical applications, Communications in Statistics: Simulation and Computation, 21, 15-20.

- Palya, W. (1991). Laser printers as powerful tools for the scientific visualization of behavior. behavior Research Methods, Instrument, & Computers, 23, 277-282.
- Pedhazur, E. J., & Schmelkin, L. P. (1991). Measurement, design, and analysis: An integrated approach. Hillsdale, NJ: Lawrence Erlbaum Associates, Publishers.
- Pinker, S. (1990). A theory of graph comprehension. In R. Freedle (Ed.) Artificial intelligence and the future of testing. Hillsdale, NJ: Lawrence Erlbaum Associates.
- Quarendon, P. (1992). Applications. In Brodrie et al. (Eds.) Scientific visulaization: Techniques and applications (pp.132-174). London: Springer-Verlag.
- Rasmussen, J. L. (1989). Data transformation, Type I error rate and power. British Journal of Mathematical and Statistical Psychology, 42, 203-213.
- Robin, H. (1992). The scientific image: From cave to computer. N.Y.: W. H. Freeman.
- Ross, J. (1993, September). Visualization and multimedia. [On-line]. Available Gopher: Hostname and path:
gopher.millsaps.edu/visual.txt.
- Rousseeuw, P. J., & Leroy, A. M. (1987). Robust regression and outlier detection. New York: John Wiley & Sons.
- Russell, B. (1913). On the notion of cause. Proceedings of Aristotelian Society (New Series), 56, 26-47.
- Sanderson, P. M., Flach, J. M., Buttigieg, M. A., & Casey, E. J. (1989). Object displays do not always support better integrated task performance. Human factors. 31, 183-198.

- Sanderson, P. M., Haskell, I., & Flach, J. M. (1992). The complex role of perceptual organization in visual display design theory. Ergonomics, 35, 1199-1219.
- SAS Institute. (1989). JMP IN: Software for statistical visualization on the Apple Macintosh. Cary, NC: Author.
- SAS Institute. (1990). SAS/STAT User's Guide: Vol. 2, GLM-VARCOMP (4th ed.). Cary, NC: Author.
- Schafer, W. D. (1992). Graphical description of interaction outcomes for regressions with groups. Measurement and Evaluation in Counseling and Development, 25, 50-52.
- Schilling, M. F., & Watkins, A. E. (1994). A suggestion for sunflower plots. The American Statistician, 48, 303-305.
- Schwabe, R. A. (1991, May). Total Quality Management: Statistics and graphics. AIR 1991 Annual Forum Paper. Paper presented at the Annual Forum of the Association for Institutional Research, San Francisco, CA. (ERIC Document Reproduction Service No. ED 336 038)
- Schwabe, R. A. (1993, May). Total Quality Management: Statistics and graphics III. AIR 1993 Annual Forum Paper. Paper presented at the Annual Forum of the Association for Institutional Research, Chicago, IL. (ERIC Document Reproduction Service No. ED 360 941)
- Scientific Visualization Comes Down To Earth. (1992, November). Research & development, 34(13), 59-62.
- Scott, D. W. (1992). Multivariate density estimation: Theory, practice, and visualization. New York: John, Wiley & Sons.
- Silverman, B. W. (1986). Density estimation for statistics and data analysis. London: Chapman and Hall.
- Spear, M. E. (1969). Practical charting techniques. New York: McGraw-Hill Book Company.

- Spence, I. (1990). Visual psychophysics of simple graphical elements. Journal of Experimental Psychology: Human Perception and Performance, 16, 683-692.
- Statistical Sciences (1993). S-PLUS for Windows. Seattle, Washington: Statistical Sciences.
- Stevens, J. (1992). Applied multivariate statistics for the social sciences. Hillsdale, NJ: Lawrence Erlbaum Associates, Publishers.
- Stine, R. (1995). Graphical interpretation of variance inflation factors. American Statistician, 49, 53-56.
- SU5 Group. (1991). DeltaGraph Professional. Monterey, CA: DeltaPoint, Inc.
- Tan, J. K. H., & Benbasat, I. (1990). Processing of graphical information: A decomposition taxonomy to match data extraction tasks and graphical representations. Information Systems Research, 1, 416-439.
- Thompson, B. (1990). MULTINOR: A FORTRAN program that assists in evaluating multivariate normality. Educational and Psychological Measurement, 50, 845-848.
- Tiernan, K. (1991). Getting SPC onto the factory floor quickly. A speech given at a meeting of the San Gabriel Valley Section of the American Society for Quality Control.
- Tierney, L. (1991). LISP-STAT: An object-oriented environment for statistical computing and dynamic graphics. New York: John, Wiley & Sons.
- Tufte, E. R. (1983). The visual display of quantitative information. Connecticut: Graphic Press.
- Tufte, E. R. (1990). Envisioning information. Cheshire, Connecticut: Graphic Press.

- Tukey, J. W. (1977). Exploratory data analysis. Reading, MA: Addison-Wesley Publishing Company.
- Tukey, J. W. (1980). We need both exploratory and confirmatory. The American Statistician, 34, 23-25.
- Tukey, J. W. (1986a). Data analysis and behavioral science or learning to bear the quantitative man's burden by shunning badmandments. In L. V. Jones (Ed.), The collected works of John W. Tukey, Volume III: Philosophy and principles of data analysis: 1949-1964. Pacific Grove, CA: Wadsworth.
- Tukey, J. W. (1986b). The collected works of John W. Tukey, Volume III: Philosophy and principles of data analysis: 1949-1964. L. V. Jones (Ed.). Pacific Grove, CA: Wadsworth.
- Tukey, J. W. (1986c). The collected works of John W. Tukey, Volume IV: Philosophy and principles of data analysis (1965-1986). L. V. Jones, (Ed.). Pacific Grove, CA: Wadsworth.
- Tukey, J. W. (1988). The collected works of John W. Tukey, Volume V: Graphics. W. S. Cleveland, (Ed.). Pacific Grove, CA: Wadsworth.
- Turner, D. W., & Tidmore, F. E. (1980). FACES-A FORTRAN program for generating Chernoff-type faces on a line printer. The American Statisticians, 34, 187.
- Tversky, T., & Kahneman, D. (1982). Judgment under certainty: Heuristics and Biases. In D. Kahneman, P. Slovic, & A. Tversky (Eds.), Judgment under uncertainty: heuristics and biases (pp. 3-19). Cambridge: Cambridge Univ. press.
- Velleman, P. F. (1992). DataDesk Handbook. Ithaca, NY: Data Description Inc.
- Velleman, P. F. & Wilkinson, L. (1993). Nominal, ordinal, interval, and ratio typologies are misleading. The American Statistician, 47, 65-68.

- Wand, M. P., & Jones, M. C. (1993). Comparison of smoothing parameterizations in bivariate kernel density estimation. Journal of the American Statistical Association, 88, 520-528.
- Ware, C., & Beatty, J. C. (1985). Using color as a tool in discrete data analysis (Tech. Rep. No. CS-85-21). Waterloo, Ontario, Canada: University of Waterloo, Computer Graphics Laboratory.
- Ware, C., & Beatty, J. C. (1986). Using color to display structures in multidimensional discrete data. Color and Resereach Application, 11, S11-14.
- Ware, C., & Beatty, J. C. (1988). Using color dimensions to display data dimensions. Human Factors, 30, 127-142.
- Watson, C. J., & Driver, R. W. (1983). The influence of computer graphics on the recall of information. Management Information Systems Quarterly, 7, 45-53.
- Wickens, C. D. (1986). The object display: Principles and a review of experimental findings (Tech. Report CPL-86-6/MDA903-83-K-0255). Champaign, IL: University of Illinois, Cognitive Psychophysiology Laboratory.
- Wickens, C. D. (1992). Engineering psychology and human performance (2nd ed.). New York: Harper Collins Publisher.
- Wichens, C. D., & Todd, S. (1990). Three-dimensional display technology for aerospace and visualization. In Proceedings of the Human Factor Society 34th Annual Meeting (pp.1479-1483). Santa Monica, CA: Human Factors and Ergonomics Society.
- Wickens, C. D., Merwin, D. H., & Lin, E. L. (1994). Implications of graphics enhancements for the visualization of scientific data: Dimensional integrity, stereopsis, motion, and mesh. Human Factors, 36, 44-61.

- Wolfram, S. (1991). Mathematica: A system for doing Mathematics by computer. Reading, MA: Addison-Wesley Publishing Company.
- Wolfson, E. (1994, January). Scientific visualization: Highlights and visions from a field in Ferment. Academic Computing and Networking [On-Line serial], Available gopher: Hostname and path://cmcl2.NYU.EDU:70/00/Computing/ACF/pubs_and_ref/newsletter/jan_94/Scientific_Visualization.
- Yorchak, J. P., Allison, J. E., & Dodd, V. S. (1984). A new tilt on computer generated space situation displays. In Proceedings of the Human factors Society 28th Annual Meeting. Santa Monica, CA: Human Factors Society, 894-898.
- Yu, C. H., & Behrens, J. T. (1995). Applications of scientific multivariate visualization to behavioral sciences. Behavior Research Methods, Instruments, and Computers, 27, 264-271.
- Yu, C. H., Anthony, S., & Behrens, J. T. (1995, April). Identification of Misconceptions in the Central Limit Theorem and Related Concepts and Evaluation of Computer Media as a Remedial Tool. Paper presented at the Annual Meeting of the American Educational Research Association, San Francisco, CA.